


DTC-RD09 Diffractive Optical Element



• Element Number: DTC-RD09

Description: Random dots pattern

• Number of dots: 15,000


Substrate material: PET/PMMA/GLASS

DOE active area: 5 x 5 mmDesign wavelength: 830 nm

• Minimum recommended beam diameter

(FWHM): 2 mm

Pattern Specifications



A DOE functions with a laser light source that emits a diffractive pattern. Each DOE pattern is characterized by a specific laser wavelength, focal length and transverse mode. Each laser wavelength will result in a different zero order intensity. The focal length is dependent on the DOE and the object distance which can be adjusted using a collimating lens (CL). The transverse mode will affect the dot shape.

Field of View (FOV)	60° × 46.8°(HxV)
Aspect Ratio	4:3
Contrast ¹ (calculated by gray level)	≧10
Uniformity ² (calculated by gray level)	≧45%
Zero order	≦0.2%

 1 Contrast: in the defined area, the ratio of the 95th percentile of the grayscale value of dots over the midian grayscale value of the background, C=I_{95\%}/I_{midian}

TEL: +886-3-355-1635 Website: http://www.digigram.com.tw Email: Echo@digigram.com.tw
Head Office:No.88, Ln. 1434, Chunri Rd., Taoyuan Dist., Taoyuan City 33051, Taiwan

² **Uniformity**: the ratio of the grayscale value of the area at a given location to the grayscale value of the area in the center of the pattern, $U=I_{each\ area}/I_{max\ of\ each\ area}$