


## **DTC-RD12 Diffractive Optical Element**



• Element Number: DTC-RD12

• Description: Random dots pattern

• Number of dots: 15,000


Substrate material: PET/PMMA/GLASS

DOE active area: 5 x 5 mmDesign wavelength: 940 nm

Minimum recommended beam diameter

(FWHM): 2 mm

## **Pattern Specifications**



A DOE functions with a laser light source that emits a diffractive pattern. Each DOE pattern is characterized by a specific laser wavelength, focal length and transverse mode. Each laser wavelength will result in a different zero order intensity. The focal length is dependent on the DOE and the object distance which can be adjusted using a collimating lens (CL). The transverse mode will affect the dot shape.

Field of View (FOV)	70° × 55.4°(HxV)
Aspect Ratio	4:3
Contrast <sup>1</sup> (calculated by gray level)	≧10
Uniformity <sup>2</sup> (calculated by gray level)	≧30%
Zero order	≦0.2%

TEL: +886-3-355-1635 Website: <a href="http://www.digigram.com.tw">http://www.digigram.com.tw</a> Email: Echo@digigram.com.tw
Head Office:No.88, Ln. 1434, Chunri Rd., Taoyuan Dist., Taoyuan City 33051, Taiwan

 $<sup>^1</sup>$  Contrast: in the defined area, the ratio of the 95th percentile of the grayscale value of dots over the median grayscale value of the background, C=I\_{95\%}/I\_{median}

<sup>&</sup>lt;sup>2</sup> **Uniformity**: the ratio of the grayscale value of the dots at a given location to the grayscale value of the dots in the center of the pattern,  $U=I_{each\ area}/I_{max\ of\ each\ area}$